This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



(51) International Patent Classification 5:		(11) International Publication Number: WO 91/1117
A61K 9/12, 9/72	A1	(43) International Publication Date: 8 August 1991 (08.08.9
(21) International Application Number: PCT/GB (22) International Filing Date: 30 January 1991		Road, Loughborough Leicestershire I F11 OPD (CD)
(30) Priority data: 9002351.6 2 February 1990 (02.02.9) 9023655.5 31 October 1990 (31.10.9) 9026476.3 5 December 1990 (05.12.1) (71) Applicant (for all designated States except US): PLC [GB/GB]; Fiston House, Princes Street, Suffolk IP1 IQH (GB). (72) Inventors; and (75) Inventors; and (75) Inventors/Applicants (for US only): STEELE, Ger GB]; 13 Ashleigh Drive, Loughborough, Leic LEI1 3HN (GB). SOMANI, Asit [GB/GB]; Street, Loughborough, Leicestershire LEI1 II LIM, Joseph, Geok, Paan [MY/GB]; 17 Winds Shepshed, Leicestershire LEI2 9QR (GB).	0) (90) (90) (90) (90) (90) (90) (90) (9	Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: PROPELLANT COMPOSITIONS

(57) Abstract

4

Pressurised aerosol composition comprising a liquified hydrofluorocarbon propellant containing substantially no non-hydrofluorocarbon solvent, having dispersed therein a medicament and a fluorinated surfactant. Preferred surfactants include FC 430 and FC 431.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

A1	Austria	ES	Spain	MG	Madagascar .
ΑU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	· MR	Mauritania
BP	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	ΙT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CC	Congo	KP	Democratic People's Republic	SE	Sweden
CH	Switzerland		of Korea	SN	Senegal
CI	Côte d'Ivoire	KR	Republic of Korea	SU	Soviet Union
CM	Cameroon	LI	Liechtenstein	TD	Chad
cs	Czechoslovakia	LK	Sri Lanka	TC	Tago
DE	Germany	LU	Luxembourg	us	United States of America
DK	Denmark	MC	Monaco		

Propellant Compositions

This invention relates to pressurised aerosol compositions, in particular compositions of inhalation medicaments.

pressurised aerosols for the administration of medicaments, and indeed for other applications, conventionally contain one or more liquified chlorofluorocarbons (CFC's) as propellant. Such materials are suitable for use in such applications since they have the right vapour pressures (or can be mixed in the right proportions to achieve a vapour pressure in the right range) and are essentially taste- and odour-free.

In recent years there has been increasing concern about the depletion of the ozone layer in the upper

15 atmosphere. This is believed to be due to the release into the atmosphere of CFC's and has led to a search for alternative agents for use in all applications of CFC's. To this end, aerosols for many applications are now pressurised using pressurised gases such as nitrogen or hydrocarbons. However, such propellants are generally not suitable for use in the administration of inhalation medicaments since they are toxic and/or the pressure within the canister falls each time the device is used which leads to unreproducible dosing.

25 The use of hydrofluorocarbons as aerosol propellants

has also been suggested. European Patent Application 0 372 777, published after the earliest priority date of this application, states that the use of the hydrofluorocarbon propellant 134a and drug as a binary mixture or in 5 combination with a conventional surfactant such as sorbitan trioleate does not provide formulations having suitable properties for use with pressurised inhalers and suggests that satisfactory formulations may be made by adding a compound having a higher polarity than propellant 134a, 10 such as pentane or ethanol. It is stated that the addition of a compound of higher polarity than propellant 134a to propellant 134a provides a mixture in which increased amounts of surfactant may be dissolved compared to their solubility in propellant 134a alone. It is further stated 15 that the presence of increased amounts of solubilised surfactant allows the preparation of stable, homogenous suspensions of drug particles. The use of such co-solvents is undesirable since they may have unsuitable properties, for example, they may be flammable and/or toxic.

US Patent No 4352789 suggests the use of perfluorinated surfactants which are insoluble in CFC or perfluorinated propellants as a coating for finely divided medicament to be formulated in CFC or perfluorinated propellants.

25 Surprisingly, we have now found that mixtures of

•

Ç

hydrofluorocarbons and fluorinated surfactants have properties which render them suitable for use as propellant systems for aerosol compositions.

Thus, according to the invention there is provided a pressurised aerosol composition comprising a liquified hydrofluorocarbon propellant containing substantially no non-hydrofluorocarbon solvent, having dispersed therein a medicament and a fluorinated surfactant.

The compositions according to the invention are

advantageous in that the solubility of the surfactant is

such as to ensure good dispersion of the medicament and

smooth operation of the aerosol valve. In particular, and

in contrast to EP-A-0 372 777, the surfactants which

characterise the present invention are sufficiently soluble

in hydrofluorocarbons to enable them to be used without the

presence of an additional substance as co-solvent.

The propellant mixtures of the present invention may also be advantageous in that they are substantially tasteand odour-free and have suitable vapour pressures for the
administration of medicaments by inhalation, yet are environmentally safe and acceptable, especially when compared with compositions including chlorofluorocarbons.

In addition, they may be less irritant than corresponding compositions including conventional surfactants such as oleic acid and sorbitan trioleate.

A wide range of fluorinated surfactants may be used in the compositions of the present invention. The surfactant may be perfluorinated or otherwise.

Perfluorinated surfactants which may be used include

5 ionic surfactants, both anionic and cationic, eg

perfluorinated alcohol phosphate esters and their salts,

perfluorinated sulphonamide alcohol phosphate esters and

their salts, and perfluorinated alkyl sulphonamide alkylene

quaternary ammonium salts. However, we prefer surfactants

10 which are non-ionic.

Other surfactants may be used which, while not perfluorinated as such, contain at least one perfluorinated alkyl group.

We prefer surfactants which contain at least one 15 (CF₂) group, more preferably from 2 to 60, eg 5 to 20 such groups.

We prefer surfactants which contain one or more ether or carboxylic ester linkages, more preferably from 2 to 60, eg 4 to 10 such linkages. We particularly prefer compounds which contain both ether and ester linkages.

We prefer surfactants which contain at least one (CH₂) group, more preferably from 2 to 60, eg 5 to 20 such groups. We further prefer surfactants which contain at least one (OCH₂CH₂) group, more preferably from 2 to 30, eg 3 to 10 such groups.

Preferred non-ionic surfactants include, for example fluorinated alcohols, esters, amides, N-oxides or sulphonamides. We particularly prefer polyfluoroalkyloxyethylenes of the general formula

5 $C_mF_{2m+1}CH_2(OC_2H_4)_nOH$ in which m is an integer from 7 to 18 and n is an integer from 2 to 6. Other preferred surfactants include:

 $(CF_3)_2CFO(CF_2)_2CONH(CH_2)_3N(O)(CH_3)_2$,

 $(CF_3)_2CFOCF_2CF_2CH_2CH_2(OCH_2CH_2)_2OH$,

in which z is an integer from about 2 - 20,
CF₃CF₂CF₂O(CF(CF₃)CF₂CF₂O)_nCF₂CF₂CF₃,

in which n is an integer from about 10 - 60.

Further examples of preferred surfactants are the following:

The fluoroaliphatic polymeric esters known as FC 430 and FC 431, available from 3M. These are believed to be acrylic polymers having a fluorinated portion based on

- 20 and a portion including an ethylene/propylene oxide block copolymer. These surfactants may be supplied as a 50:50 mixture with ethyl acetate, the latter compound being preferably removed before the surfactant is used in accordance with the present invention.
- Other fluorinated surfactents produced by 3M that may

be mentioned include FC 170c, FC 171 and FC 807. We particularly prefer surfactants which have both a fluorinated portion, especially a perfluorinated portion, and a hydrophilic portion, eg a portion based on an ethylene and/or propylene oxide.

Other fluorinated surfactants which may be mentioned are ethyl perfluorooctylsulphonamide, the linear perfluoropolyether known as Fomblin-M, perfluorodecalin and tris(1H,1H,5H-octafluoropentyl)phosphate. All of these are available from Fluorochem Ltd.

Mixtures of fluorinated surfactants may also be used,
eg mixtures of two or more of the fluorinated surfactants
listed above. Alternatively, mixtures may be used of one
or more fluorinated surfactants with one or more of the

15 surfactants conventionally used in aerosol compositions, eg
CFC-pressurised compositions. Examples of such
conventional surfactants are: natural oils, sorbitan
oleates, eg monooleate and trioleate, sorbitan monolaurate,
monoglycerides, eg glyceryl monooleate, monostearate and
20 monolaurate, lecithins, oleic acid, etc.

Other surfactants and adjuvants that may be added include poloxamers and/or polyethylene glycols, eg PEG 1000 and PEG 1500.

In the present context, the term 'hydrofluorocarbon' 25 is to be taken to mean a compound of general formula

i

 $c_{\mathbf{x}^{\mathbf{H}_{\mathbf{V}}\mathbf{F}_{\mathbf{z}}}$

in which x is an integer from 1 to 3, y+z=2x+2 and y and z are both at least 1.

Particular hydrofluorocarbons of interest are 5 CF₃CFH₂ (Propellant 134a), CH₃CHF₂ (Propellant 152a) and CF₃CHFCF₃ (Propellant 227). We particularly prefer compositions including propellant 227.

In general the vapour pressure of the mixture should be in the range suitable and permitted for aerosol

10 propellants. The vapour pressure may be varied by mixing one or more hydrofluorocarbons and/or some other suitable

vapour pressure modifying agent in appropriate proportions.

We prefer the vapour pressure of the mixture to be in the range 20 to 100 psi, more preferably 40 to 80 psi, eg 15 about 60 psi.

The amount of surfactant in the composition will generally be from about 0.01 to 10% by weight, more preferably from about 0.1 to 5%, eg about 1%.

The medicament may be in solid, particulate form (ie the composition may be a suspension), or the active ingredient may be dissolved in the propellant.

Medicaments which may be dispersed in the propellant mixture according to the invention include any medicaments which are conventionally administered by inhalation of a pressurised aerosol formulation. Such medicaments include

drugs for use in the prophylactic or remedial treatment of reversible obstructive airways disease, eg drugs such as sodium cromoglycate, nedocromil sodium, inhaled steroids, eg beclomethasone diproprionate, fluticosone and tipredane, and bronchodilators, eg salbutamol, reproterol, terbutaline, fomoterol, pirbuterol, isoprenaline, salmeterol, fenoterol and salts thereof, and anticholinrgic agents such as ipratropium bromide and atropine.

Where the active ingredient is solid, it preferably

10 has a particle size distribution such that a high
proportion of the particles are of a size capable of
penetrating deep into the lung. In particular, the active
ingredient is preferably in a form having a mass median
diameter of from 0.1 to 10 μm, more preferably from 0.1

15 to 4 μm, eg about 2 or 3μm.

We prefer the medicament to have a mass median diameter in the range 0.01 to 10 microns, more preferably from 1 to 5 microns. The composition preferably comprises from 0.01 to 15, preferably from 0.1 to 10, and most preferably from 0.5 to 5% w/w medicament.

In producing the compositions according to the invention, a container equipped with a valve is filled with a propellant containing the finely-divided medicament. The container may first be charged with a weighed amount of medicament which has been ground to a predetermined

particle size, or with a slurry of powder in the cooled liquid propellant. The container may alternatively be filled by introducing powder and propellant by the normal cold filling method, or a slurry of the powder in one component of the propellant may be placed in the container, the valve sealed in place, and the balance of the propellant then introduced by pressure filling through the valve nozzle. As a further alternative a bulk quantity of the total composition may be filled into the container through the valve.

The invention will now be illustrated, but in no way limited, by the following Example.

Example

Ç

Compositions of the were prepared by cold filling of the ingredients into aluminium aerosol canisters which were then sealed by crimping a $50\mu l$ or $100\mu l$ aerosol valve in place.

The following combinations of micronised active ingredient, surfactant and propellant were used, removing solvent from the surfactant where necessary:

1.	Nedocromil	sodium	0.200g
	FC 431		0.061g
	Propellant	134a	11.979g

	2.	Tipredane	0.100g
		FC 431	0.071g
		Propellant 227	13.949g
5	3.	Sodium cromoglycate	0.200g
		FC 430	0.061g
		Propellant 134a	11.979g
	4.	Sodium cromoglycate	0.200g
10		FC 430	0.071g
		Propellant 227	13.849g
	5.	Nedocromil sodium	0.200g
		FC 430	0.061g
15		Propellant 134a	11.979g
	6.	Nedocromil sodium	0.200g
		FC 430	0.071g
		Propellant 227	13.849g
20			
	7.	Salbutamol sulphate	0.040g
		FC 431	0.061g
		Propellant 134a	12.139g

25

- 11 -

5 In all cases stable suspensions of the active ingredient in the propellant were obtained.

10

15

20

Claims

surfactant.

- A pressurised aerosol composition comprising a liquified hydrofluorocarbon propellant containing substantially no non-hydrofluorocarbon solvent, having dispersed therein a medicament and a fluorinated
 - A composition according to claim 1, wherein the surfactant is a non-ionic surfactant.
- 3. A composition according to claim 1 or 2, wherein the 10 surfactant contains at least one (CF₂) group.
 - 4. A composition according to any one of claims 1, 2 or
 - 3, wherein the surfactant contains one or more ether or carboxylic ester linkages.
- A composition according to any one of the preceding
 claims, wherein the surfactant contains at least one
 (CH₂) group.
- 6. A composition according to any one of the preceding claims, wherein the composition includes an additional surfactant selected from poloxamers and polyethylene 20 glycols.
 - 7. A composition according to any one of the preceding claims, wherein the propellant is CF_3CFH_2 , CH_3CHF_2 , CF_3CHFCF_3 or mixtures thereof.
- A composition according to any one of the preceding
 claims, wherein the medicament is sodium cromoglycate,

网络马姆雷尔 医囊壁 人名马达 化二十二十二

- 13 -

nedocromil sodium, beclomethasone diproprionate, fluticosone, tipredane, ipratropium bromide, atropine or a brochodilator selected from salbutamol, reproterol, terbutaline, fomoterol, pirbuterol, isoprenaline,

- 5 salmeterol, fenoterol or a salt of any one thereof.
 - A composition according to any one of the preceding claims, comprising from 0.01 to 10% by weight of fluorinated surfactant.
- 10. A composition according to any one of the preceding 10 claims, comprising from 0.01 to 15% w/w medicament.

15

¢

20

25

INTERNATIONAL SEARCH REPORT

International Application No PCT/GB 91/00133

	IFICATION OF SUBJECT MATTER (It several classificat		
_	to International Patent Classification (IPC) or to both National	Classification and IPC	
IPC ⁵ :	A 61 K 9/12, 9/72		
II. FIELDS	S SEARCHED		
Classification	Minimum Documentation System Clas		
Citatinicali	Cias	saffication Symbols	<u>-</u>
IPC ⁵	A 61 K		
	Occumentation Searched other than to the Extent that such Documents are		
	MENTS CONSIDERED TO BE RELEVANT		122
Category *	Citation of Document, 11 with Indication, where appropri	riste, of the relevant passages 12	Relevant to Claim No. 13
P,X	WO, A, 9007333 (RIKER LAB 12 July 1990 see abstract; page 2, line 4; page 4, line line 26; claims 1,5,6	line 28 - page 3	1-5,7,9,10
х	US, A, 4352789 (THIEL) 5 October 1982 see abstract; column column 3, line 50; co column 4, line 16; co 3-54; column 6, lines examples 11,23-26; cl	lumn 3, line 61 - lumn 5, lines 21-38;	1-5,8-10
Y	cited in the application	./.	6,7
"A" doc en "E" filir "L" doc oth cuts "O" doc oth "P" doc late IV. CERT Date of th	ch is cited to establish the publication date of another tition or other special reason (as specified) upward referring to an oral disclosure, use, exhibition or er means; unment published prior to the international filling date but in that the priority date claimed IFICATION • Actual Completion of the international Search d April 1991	"" later document published after to or priority date and not in conflicted to understand the principle invention." "X" document of particular relevant cannot be considered novel or force or comment of particular elevant cannot be considered to the particular elevant constant of particular elevant elevan	ct with the application but a critical underlying the art theory underlying the size; the claimed invention cannot be considered to ce; the claimed invention an inventive step when the or more other such docuplivious to a person skilled betent family
	EUROPEAN PATENT OFFICE	Mme M van de	r Drift

Y US, A, 4174295 (BARGIGIA et al.) 13 November 1979 see abstract; column 2, line 58 - column 3, line 3; column 3, lines 8-15; column 3, lines 44-50; column 5, lines 26-40; example 7; claim 1 US, A, 3490923 (B.J. EISEMAN et al.) 20 January 1970 see the whole document	6,7
13 November 1979 see abstract; column 2, line 58 - column 3, line 3; column 3, lines 8-15; column 3, lines 44-50; column 5, lines 26-40; example 7; claim 1 US, A, 3490923 (B.J. EISEMAN et al.) 20 January 1970	
20 January 1970	1-10
	•

Form PCT/ISA 210(extra sheet) (January 1985)

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

GB 9100133 SA 44267 1

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 04/06/91

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publicatio date
WO-A- 9007333	12 - 07-90	None	
US-A- 4352789	05~10-82	None	
US-A- 4174295	13-11-79	DE-A- 2736500 FR-A,B 2361454 GB-A- 1529429 JP-A- 53040693 NL-A- 7708731	16-02-78 10-03-78 18-10-78 13-04-78 15-02-78
US-A- 3490923	20-01-70	None	
	•		
•	•		•
			•
•			
ore details shout this on	Official Investor		
ore details about this annex : see	: Official Journal of the Europ	pean Patent Office, No. 12/82	